


WHAT IS CLAIMED IS:

1. A compound of Formula I



I,

or a pharmaceutically acceptable salt or prodrug thereof, where

L¹ is selected from

(1) a covalent bond,

(2) -C(O)NR⁵(CH₂)_m-, where m is an integer from 0 to 4, and

R⁵ is selected from

(a) hydrogen

and

(b) alkyl,

and

(3) -N(R⁵)C(O)(CH₂)_m-,

where (2) and (3) are drawn with their left ends attached to R¹;

R¹ is selected from

(1) alkyl,

(2) alkyl substituted with 1, 2, or 3 substituents selected from

(a) -NO₂

(b) -NR⁶R⁷ where R⁶ and R⁷ are independently selected from

(i) hydrogen,

(ii) alkyl,

(iii) arylalkyl,

(iv) an amino protecting group,

(v) alkanoyl, where the alkanoyl can be optionally substituted with -OR⁹,

(vi) (aryl)oyl,

(vii) alkoxycarbonyl,

and

(viii) (heteroaryl)oyl,

and

- (c) alkoxycarbonyl,
- 35 (3) aryl substituted with 1, 2, 3, 4, or 5 substituents independently selected from
- (a) $-NR^6R^7$,
 - (b) alkyl,
 - and
 - (c) alkyl substituted with 1, 2, or 3 substituents selected from $-NR^6R^7$,
- 40 (4) $-NR^6R^7$,
- and
- (5) $-OR^9$;

R^2 and R^3 are selected from

- 45 (1) hydrogen
- (2) $-(CH_2)_nC(O)R^8$ where n is an integer from 0 to 4, and
- R^8 is selected from
- (a) $-OR^9$ where R^9 is selected from
- (i) hydrogen,
 - 50 (ii) alkyl,
 - and
 - (iii) alkyl substituted with 1 or 2 substituents selected from the group consisting of aryl
- and
- 55 (b) $-NR^5R^{10}$ where R^5 is defined previously, and R^{10} is selected from
- (i) hydrogen,
 - (ii) alkyl,
 - (iii) alkyl substituted with 1, 2, or 3 substituents independently
- selected from
- 60 (1') $-CO_2R^9$
- and
- (2') $-C(O)NR^6R^7$
- (iv) aryl, and
 - (v) arylalkyl,
- 65 where (iv) and (v) can be optionally substituted with 1, 2, 3, 4, or 5 substituents
- independently selected from
- (1') alkyl,
 - (2') alkanoyl,
 - 70 (3') $-OR^9$,

75 (4') -CO₂R⁹,
 (5') alkanoyloxy,
 (6') carboxaldehyde,
 (7') cycloalkyl,
 (8') cycloalkenyl,
 (9') halo,
 (10') nitro,
 (11') perfluoroalkyl,
 (12') perfluoroalkoxy,
 80 (13') -NR⁶R⁷,
 (14') -SO₂NR⁶R⁷,
 (15') -C(O)NR⁶R⁷,
 (16') aryloxy,
 and
 85 (17') aryl,
 and

(3) aryl, wherein the aryl is optionally substituted with 1, 2, or 3 substituents independently

90 selected from
 (a) -NR⁶R⁷
 and
 (b) -CO₂R⁹,

provided that at least one of R² and R³ is other than hydrogen;

95 R⁴ is selected from

(1) hydrogen,
 (2) alkyl,
 (3) cycloalkyl,
 (4) -CO₂R⁵,


100 (5) aryl,
 and

(6) aryl substituted with at least one of W, X, Y, or Z where W, X, Y, and Z are independently selected from

105 (a) alkyl,
 (b) alkanoyl,
 (c) -OR⁹,

- (d) $-\text{CO}_2\text{R}^9$,
 (e) alkanoyloxy,
 (f) carboxaldehyde,
 110 (g) cycloalkyl,
 (h) cycloalkenyl,
 (i) halo,
 (j) nitro,
 (k) perfluoroalkyl,
 115 (l) perfluoroalkoxy,
 (m) $-\text{NR}^6\text{R}^7$,
 (n) $-\text{SO}_2\text{NR}^6\text{R}^7$,
 (o) $-\text{C}(\text{O})\text{NR}^6\text{R}^7$,
 (p) aryloxy,
 120 and
 (q) aryl.

2. A compound according to claim 1 of Formula II



5 where R^3 is hydrogen.

3. A compound according to claim 2 where R^4 is hydrogen.

4. A compound according to claim 3 selected from the group consisting of
 N-[4-[N-(acetylglycyl)amino]benzoyl]-L-aspartic acid,
 N-[4-[(7-amino-1-oxoheptyl)amino]benzoyl]-L-aspartic acid,
 (S)-N-[4-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]benzoyl]-L- α -asparagine,
 5 N-[(4-aminophenyl)acetyl]-L-aspartic acid, bis(1,1-dimethylethyl) ester,
 (S)-N-[[4-[[2-amino-6-[(phenylmethoxy)carbonyl]amino]-1-oxohexyl]amino]phenyl]acetyl]-L-aspartic acid,
 (S)-N-[[4-[[2-(acetylamino)-6-[(phenylmethoxy)carbonyl]amino]-1-oxohexyl]amino]phenyl]acetyl]-L-aspartic acid,

10 N-[2-[[4-[2-(acetylamino)-6-amino-1-oxohexyl]amino]phenyl]-1-oxoethyl]-L-aspartic acid,
 (S)-N-[[4-[[6-amino-2-[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]phenyl]acetyl]-L-aspartic acid, bis(1,1-dimethylethyl) ester,
 (S)-N-[[4-[(2,6-diamino-1-oxohexyl)amino]phenyl]acetyl]-L-aspartic acid,
 15 (S)-ethyl 4-[[6-amino-2-[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]benzeneacetate,
 (S)-4-[[6-amino-2-[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]benzeneacetic acid,
 (4S)-4-((4-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)benzoyl)amino)-5-
 20 (methylamino)-5-oxopentanoic acid,
 4-(((2S)-6-amino-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)benzoic acid,
 (3S)-3-((4-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)benzoyl)amino)-4-amino-4-oxobutanoic acid, and
 methyl 4-(((2S)-6-amino-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-
 25 benzoate.


5. A compound according to claim 2 where **R⁴** is aryl.

6. A compound according to claim 5 selected from the group consisting of
 4-[[4-(aminomethyl)benzoyl]amino]-2-phenylbenzoic acid,
 (S)-N-[4-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]-2-phenylbenzoyl]-
 L- α -asparagine,

5 5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)-N-(2-hydroxyphenyl)(1,1'-biphenyl)-2-carboxamide,
 5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)-N-(3-hydroxyphenyl)(1,1'-biphenyl)-2-carboxamide,
 5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)-N-(4-hydroxyphenyl)(1,1'-
 10 biphenyl)-2-carboxamide,
 methyl 5-(((2S)-6-amino-2-(((benzyloxy)carbonyl)amino)hexanoyl)amino)(1,1'-biphenyl)-2-carboxylate,
 5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)(1,1'-biphenyl)-2-carboxylic acid,
 15 (2S)-2-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)butanedioic acid,
 5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)-N-(4-(aminosulfonyl)phenethyl)(1,1'-biphenyl)-2-carboxamide,

- ethyl 2-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)benzoate,
- ethyl 3-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)benzoate,
- ethyl 4-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)benzoate,
- 5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)-N-(4-(aminosulfonyl)benzyl)(1,1'-biphenyl)-2-carboxamide,
- 2-(((5-(((2S)-2-(acetylamino)-6-(((benzyloxy)carbonyl)amino)hexanoyl)-amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)benzoic acid,
- 3-(((5-(((2S)-2-(acetylamino)-6-(((benzyloxy)carbonyl)amino)hexanoyl)-amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)benzoic acid,
- 4-(((5-(((2S)-2-(acetylamino)-6-(((benzyloxy)carbonyl)amino)hexanoyl)-amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)benzoic acid,
- 2-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)benzoic acid,
- 3-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)benzoic acid, and
- 4-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)benzoic acid.

7. A compound according to claim 2 of Formula III




8. A compound according to claim 7 selected from the group consisting of
- (S)-methyl 4-[[2-[[[(1,1-dimethylethoxy)carbonyl]amino]-6-[[phenylmethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-[3-(phenylmethoxy)phenyl]benzoate,
- (S)-1,1-dimethylethyl 4-[[2-[[[(1,1-dimethylethoxy)carbonyl]amino]-6-

[(phenylmethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-[3-(phenylmethoxy)phenyl]benzoate,
 (R)-methyl 4-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-(3-hydroxyphenyl)benzoate,
 10 (S)-methyl 4-[[2-amino-6-[[[(phenylmethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-[(3-(phenylmethoxy)phenyl] benzoate,
 (S)-methyl 4-[[2-(acetylamino)-6-[[[(phenylmethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-[(3-(phenylmethoxy)phenyl] benzoate,
 (S)-1,1-dimethylethyl 4-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-(3-hydroxyphenyl)benzoate,
 15 (S)-methyl 4-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]-2-(3-hydroxyphenyl)benzoate,
 (S)-4-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]-2-(3-hydroxyphenyl)benzoic acid,
 20 (S)-N-[4-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]-2-(3-hydroxyphenyl)benzoyl]-L- α -asparagine,
tert-butyl (3S)-3-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-yl)carbonyl)amino)-4-amino-4-oxobutanoate,
 5-(((2S)-6-amino-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid,
 25 methyl 5-(((2S)-2,6-diaminohexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylate,
 5-(((2S)-6-amino-2-((2,2-dimethylpropanoyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid,
 30 methyl 5-(((2S)-6-amino-2-((2,2-dimethylpropanoyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylate,
 5-(((2S)-6-amino-2-(benzoylamino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid,
 5-(((2S)-6-amino-2-((methoxycarbonyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid,
 35 methyl 5-(((2S)-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylate,
 5-(((2S)-2-((*tert*-butoxycarbonyl)amino)-6-((3-pyridinylcarbonyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid,
 40 5-((6-aminohexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid,
 5-(((2S)-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid,

5-(((2S)-5-amino-2-((*tert*-butoxycarbonyl)amino)pentanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid, and

45 5-(((2S)-2-((*tert*-butoxycarbonyl)amino)-6-(methylamino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid.

9. A compound according to claim 2 of Formula IV



5


10. A compound according to claim 9 selected from

(R)-methyl 4-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-(2-hydroxyphenyl)benzoate,

5 methyl 5-(((2S)-6-amino-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-4'-hydroxy(1,1'-biphenyl)-2-carboxylate, and

(3S)-3-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)-4'-hydroxy(1,1'-biphenyl)-2-yl)carbonyl)amino)-4-amino-4-oxobutanoic acid.

11. A compound according to claim 1 of Formula V



5

where **R²** is hydrogen.

12. A compound according to claim 11 selected from the group consisting of (S)-methyl 3-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]-4-(1,1-dimethylethyl)benzoate,

5 (S)-methyl 3-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]-4-(1,1-dimethylethyl)benzoate,
(S)-3-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]-4-(1,1-dimethylethyl)benzoic
acid, and
methyl 3-(((2S)-6-amino-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-4-cyclohexylbenzoate.

10

13. A compound according to claim 2, wherein R^2 is hydrogen.

14. A compound according to claim 13, which is

4-(((2S)-6-amino-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-2-chlorobenzoic acid.

15. A method of treating a patient in need of anti-angiogenesis therapy comprising administering to the patient a therapeutically effective amount of a compound according to claim 1.

16. A method of treating a patient in need of anti-angiogenesis therapy comprising administering to the patient a therapeutically effective amount of a compound according to claim 1.

17. A compound according to claim 1 selected from the group consisting of
N-[4-[N-(acetylglycyl)amino]benzoyl]-L-aspartic acid,
4-[[4-(aminomethyl)benzoyl]amino]-2-phenylbenzoic acid monohydrochloride,
N-[4-[(7-amino-1-oxoheptyl)amino]benzoyl]-L-aspartic acid,

5

(S)-methyl 3-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]-4-(1,1-dimethylethyl)benzoate,

(S)-methyl 3-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]-4-(1,1-dimethylethyl)benzoate,

10

acid,

(S)-methyl 4-[[2-[[[(1,1-dimethylethoxy)carbonyl]amino]-6-[[[(phenylmethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-[3-(phenylmethoxy)phenyl]benzoate,

15

(S)-1,1-dimethylethyl 4-[[2-[[[(1,1-dimethylethoxy)carbonyl]amino]-6-[[[(phenylmethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-[3-

(phenylmethoxy)phenyl]benzoate,
 (R)-methyl 4-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-(3-hydroxyphenyl)]benzoate,
 (R)-methyl 4-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-(2-hydroxyphenyl)]benzoate,
 20 (S)-methyl 4-[[2-amino-6-[[[(phenylmethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-[(3-(phenylmethoxy)phenyl)]benzoate,
 (S)-methyl 4-[[2-(acetylamino)-6-[[[(phenylmethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-[(3-(phenylmethoxy)phenyl)]benzoate,
 25 (S)-1,1-dimethylethyl 4-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-(3-hydroxyphenyl)]benzoate,
 (S)-methyl 4-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]-2-(3-hydroxyphenyl)]benzoate,
 (S)-4-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]-2-(3-hydroxyphenyl)]benzoic
 30 acid,
 (S)-N-[4-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]-2-(3-hydroxyphenyl)]benzoyl]-L- α -asparagine,
 (S)-N-[4-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]-2-phenyl]benzoyl]-L- α -asparagine,
 35 (S)-N-[4-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]benzoyl]-L- α -asparagine,
 N-[(4-aminophenyl)acetyl]-L-aspartic acid, bis(1,1-dimethylethyl) ester,
 (S)-N-[[4-[[2-amino-6-[[[(phenylmethoxy)carbonyl]amino]-1-oxohexyl]amino]phenyl]acetyl]-L-aspartic acid, trifluoroacetate salt,
 (S)-N-[[4-[[2-(acetylamino)-6-[[[(phenylmethoxy)carbonyl]amino]-1-oxohexyl]amino]phenyl]acetyl]-L-aspartic acid,
 40 N-[2-[[4-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]phenyl]-1-oxoethyl]-L-aspartic acid,
 (S)-N-[[4-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]phenyl]acetyl]-L-aspartic acid, bis(1,1-dimethylethyl) ester,
 45 (S)-N-[[4-[(2,6-diamino-1-oxohexyl)amino]phenyl]acetyl]-L-aspartic acid,
 (S)-ethyl 4-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]benzeneacetate monohydrochloride,
 (S)-4-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]benzeneacetic acid monohydrochloride,
 50 methyl 5-(((2S)-6-amino-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-4'-hydroxy(1,1'-biphenyl)-2-carboxylate,
 (3S)-3-(((5-(((2S)-2-(acetylamino)-6-amino)hexanoyl)amino)-4'-hydroxy(1,1'-

biphenyl)-2-yl)carbonyl)amino)-4-amino-4-oxobutanoic acid,
 methyl 3-(((2S)-6-amino-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-4-
 55 cyclohexylbenzoate,
tert-butyl (3S)-3-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)-3'-
 hydroxy(1,1'-biphenyl)-2-yl)carbonyl)amino)-4-amino-4-oxobutanoate,
 5-(((2S)-6-amino-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-
 biphenyl)-2-carboxylic acid,
 60 methyl 5-(((2S)-2,6-diaminohexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-
 carboxylate,
 5-(((2S)-6-amino-2-((2,2-dimethylpropanoyl)amino)hexanoyl)amino)-3'-
 hydroxy(1,1'-biphenyl)-2-carboxylic acid,
 methyl 5-(((2S)-6-amino-2-((2,2-dimethylpropanoyl)amino)hexanoyl)amino)-3'-
 65 hydroxy(1,1'-biphenyl)-2-carboxylate,
 5-(((2S)-6-amino-2-(benzoylamino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-
 carboxylic acid,
 5-(((2S)-6-amino-2-((methoxycarbonyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-
 biphenyl)-2-carboxylic acid,
 70 (4S)-4-((4-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)benzoyl)amino)-5-
 (methylamino)-5-oxopentanoic acid,
 4-(((2S)-6-amino-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)benzoic acid,
 (3S)-3-((4-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)benzoyl)amino)-4-
 amino-4-oxobutanoic acid,
 75 methyl 4-(((2S)-6-amino-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-
 benzoate,
 methyl 5-(((2S)-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-
 biphenyl)-2-carboxylate,
 4-(((2S)-6-amino-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-2-
 80 chlorobenzoic acid,
 5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)-N-(2-hydroxyphenyl)(1,1'-
 biphenyl)-2-carboxamide,
 5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)-N-(3-hydroxyphenyl)(1,1'-
 biphenyl)-2-carboxamide,
 85 5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)-N-(4-hydroxyphenyl)(1,1'-
 biphenyl)-2-carboxamide,
 methyl 5-(((2S)-6-amino-2-(((benzyloxy)carbonyl)amino)hexanoyl)amino)(1,1'-
 biphenyl)-2-carboxylate,
 5-(((2S)-2-((*tert*-butoxycarbonyl)amino)-6-((3-

- 90 pyridinylcarbonyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid,
5-(((2S)-2-(acetyl amino)-6-amino hexanoyl)amino)(1,1'-biphenyl)-2-carboxylic
acid,
5-((6-amino hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid,
5-(((2S)-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-
95 biphenyl)-2-carboxylic acid,
5-(((2S)-5-amino-2-((*tert*-butoxycarbonyl)amino)pentanoyl)amino)-3'-
hydroxy(1,1'-biphenyl)-2-carboxylic acid,
(2S)-2-(((5-(((2S)-2-(acetyl amino)-6-amino hexanoyl)amino)(1,1'-biphenyl)-2-
yl)carbonyl)amino)butanedioic acid,
100 5-(((2S)-2-((*tert*-butoxycarbonyl)amino)-6-(methyl amino)hexanoyl)amino)-3'-
hydroxy(1,1'-biphenyl)-2-carboxylic acid,
5-(((2S)-2-(acetyl amino)-6-amino hexanoyl)amino)-N-(4-
(aminosulfonyl)phenethyl)(1,1'-biphenyl)-2-carboxamide,
ethyl 2-(((5-(((2S)-2-(acetyl amino)-6-amino hexanoyl)amino)(1,1'-biphenyl)-2-
105 yl)carbonyl)amino)benzoate,
ethyl 3-(((5-(((2S)-2-(acetyl amino)-6-amino hexanoyl)amino)(1,1'-biphenyl)-2-
yl)carbonyl)amino)benzoate,
ethyl 4-(((5-(((2S)-2-(acetyl amino)-6-amino hexanoyl)amino)(1,1'-biphenyl)-2-
yl)carbonyl)amino)benzoate,
110 5-(((2S)-2-(acetyl amino)-6-amino hexanoyl)amino)-N-(4-
(aminosulfonyl)benzyl)(1,1'-biphenyl)-2-carboxamide,
2-(((5-(((2S)-2-(acetyl amino)-6-(((benzyloxy)carbonyl)amino)hexanoyl)-
amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)benzoic acid,
3-(((5-(((2S)-2-(acetyl amino)-6-
115 (((benzyloxy)carbonyl)amino)hexanoyl)amino)(1,1'-biphenyl)-2-
yl)carbonyl)amino)benzoic acid,
4-(((5-(((2S)-2-(acetyl amino)-6-
(((benzyloxy)carbonyl)amino)hexanoyl)amino)(1,1'-biphenyl)-2-
yl)carbonyl)amino)benzoic acid,
120 2-(((5-(((2S)-2-(acetyl amino)-6-amino hexanoyl)amino)(1,1'-biphenyl)-2-
yl)carbonyl)amino)benzoic acid,
3-(((5-(((2S)-2-(acetyl amino)-6-amino hexanoyl)amino)(1,1'-biphenyl)-2-
yl)carbonyl)amino)benzoic acid, and
4-(((5-(((2S)-2-(acetyl amino)-6-amino hexanoyl)amino)(1,1'-biphenyl)-2-
125 yl)carbonyl)amino)benzoic acid.